

AMENDMENTS TO THE CLAIMS

1. (Original) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from a facsimile receiving means as a documentary image input means, by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, and

said document management means for automatically storing documentary image received by said facsimile receiving means.

2. (Original) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with

document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document, and

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, wherein said documentary image includes only the attribute information of said specific document.

3. (Currently Amended) A digital integrated apparatus as defined in claim 1, wherein all pages of said specific document are output together with the first page of said documentary image with document ID mark and other pages of said specific document without the ID mark.

4. (Currently Amended) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document, and

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, wherein only the first page with document ID mark of said documentary image with document ID mark is output even if said documentary image consists of a plural pages.

5. (Original) A digital integrated apparatus as defined in claim 4, wherein said documentary image input means is an image reading means.

6. (Original) A digital integrated apparatus as defined in claim 4, wherein said documentary image input means is a facsimile receiving means.

7. (Original) A digital integrated apparatus as defined in claim 4, wherein said documentary image input means is a facsimile transmitting means.

8. (Original) A digital integrated apparatus as defined in claim 3, wherein said documentary image input means is a printed image receiving means from a computer.

9. (Currently Amended) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

an image reading means as said document image input means,

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, when the storing of the documentary image and the printing of the documentary image with the ID mark are performed simultaneously, and

said document management means for instructing output from said image reading means to be input directly in the pattern synthesizing means and a documentary image corresponding to said specific document to be printed out ~~from~~ from the output means.

10. (Currently Amended) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image

data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

an image reading means as said document image input means,

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, to perform the storing of the documentary image and the copying of plural sets simultaneously, and

said document management means for submitting the documentary image of a first ~~part~~ set of copy directly to the pattern synthesizing means, while submitting the documentary image of a second ~~part~~ set of copy and after which is taken out from said storing means, to the output means.

11. (Currently Amended) A digital integrated apparatus as defined in claim [[2]] 9, wherein said document ID encoding means outputs document ID mark and position information including a form size and layout position to the pattern synthesizing means, and wherein said pattern synthesizing means determines a position of the document ID mark based on said position information.

12. (Currently Amended) A digital integrated apparatus as defined in claim 11, wherein the size of ~~said cover original~~ specific document and the direction of contents of document ~~management~~ led by said document management means are input from a original size detecting means for detecting size and direction of original.

13. (Original) A digital integrated apparatus as defined in claim 11, wherein the size of original registered by said document management means is input from a original size detecting means for detecting size of original, while the direction of contents of document is input from an input/output device.

14. (Currently Amended) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:
a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, and

a dialogue type operating means ~~capable of judging to select~~ whether or not to add a documentary ID mark to the documentary image output from said output means.

15. (Original) A digital integrated apparatus capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting documentary image specified based on said document ID, by adding document ID mark corresponding to said document ID, from output means as required, comprising:

a documentary image reading means for reading ID mark printed on said documentary image with document ID mark,

a document ID decoding means for decoding the read document ID mark into document ID, and

said document management means for specifying, for the purpose of some specific processing, documentary image corresponding to either the document ID obtained from document ID decoding means or the document ID input in character string directly from an input/output device, based on the selection a user makes with the input/output device between document ID mark input or character string input.

16. (Original) A digital integrated apparatus as defined in claim 15, wherein said specific processing is take-out of document by the output means.

17. (Original) A digital integrated apparatus as defined in claim 16, comprising a document ID mark encoding means for generating document ID mark based on said document ID to the documentary image taken out as a result of said take-out of document, and a pattern synthesizing means for combining said generated document ID mark and the target documentary image and transferring it to the output means.

18. (Original) A digital integrated apparatus as defined in claim 17, wherein said document ID encoding means outputs document ID mark and position information including a form size layout position to the pattern synthesizing means, and wherein said pattern synthesizing means determines a position of the document ID mark based on said position information.

19. (Original) A digital integrated apparatus as defined in claim 15, wherein said specific processing is copying or moving of target documentary image data from specific type of storing means to other specific type of storing means.

20. (Original) A digital integrated apparatus as defined in claim 15, comprising said document management means for transmitting to at least said input/output device, upon receipt of document ID corresponding to some specific document, a plural number of attribute information mutually linked to said specific document, in the case where said document

management means controls the link information indicating that specific documentary image and other documentary image are related to each other in contents, and said input/output device for displaying the attribute information obtained from said document management means to the user for selection so that the user may select the target documentary image.

21. (Original) A digital integrated apparatus as defined in claim 15, wherein said specific processing is combination for mutually combining a plural number of documentary image data by the document management means.

22. (Original) A digital integrated apparatus as defined in claim 21, wherein said document management means generates in-document link information for mutually relating a plural number of documentary image data and registering it on attribute management table.

23. (Original) A digital integrated apparatus as defined in claim 15, wherein said specific processing is deletion for deleting target documentary image data by the document management means.

24. (Original) A digital integrated apparatus as defined in claim 23, wherein reuse of deleted document ID is prohibited.

25. (Original) A digital integrated apparatus as defined in claim 15, comprising a facsimile receiving means as said documentary image input means, and

a facsimile transmitting means as output means, said document ID decoding means decoding the document ID mark attached to the documentary image received from the facsimile, and the document management means outputting image data corresponding to specific document, based on the document ID obtained as a result of said decoding, to a facsimile in a distant place through said facsimile transmitting means.

26. (Original) A digital integrated apparatus as defined in claim 25, comprising said document ID encoding means for generating a second document ID mark in a readable size by reading a first document ID attached to the documentary image received from the facsimile according to the user's instruction from the output/input device, and a pattern synthesizing means for combining the generated second document ID mark with the target documentary image and transferring them to the output means.

27. (Original) A digital integrated apparatus as defined in claim 26, comprising said document ID encoding means for generating document ID mark corresponding to the document ID including password input according to the user's instruction from the input/output device.

28. (Original) A digital integrated apparatus as defined in claim 26, comprising an input/output device capable of setting the number of output copies for all pages of documentary image with document ID mark corresponding to specific documentary image and/or documentary image.

29. (Original) A document processing system capable of storing documentary image data corresponding to some specific document input from a facsimile receiving means as a documentary image input means, by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:
a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, and

said document management means for automatically storing documentary image received by said facsimile receiving means.

30. (Original) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document, and

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, wherein said documentary image includes only the attribute information of said specific document.

31. (Currently Amended) A document processing system as defined in claim 29, wherein all pages of said specific document are output together with the first page of said documentary image with document ID mark and other pages of said documentary image without the ID mark.

32. (Currently Amended) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document, and

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, wherein only the first page with document ID mark of said documentary image with document ID mark is output even if said documentary image consists of a plural pages.

33. (Original) A document processing system as defined in claim 32, wherein said documentary image input means is an image reading means.

34. (Original) A document processing system as defined in claim 32, wherein said documentary image input means is a facsimile receiving means.

35. (Original) A document processing system as defined in claim 32, wherein said documentary image input means is a facsimile transmitting means.

36. (Original) A document processing system as defined in claim 31, wherein said documentary image input means is a printed image receiving means from a computer.

37. (Currently Amended) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

an image reading means as said document image input means, a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, and said document management means for instructing output from said image reading means to be input directly in the pattern synthesizing means, when the storing of the documentary image and the printing of the documentary image with the ID mark are performed simultaneously, and

a documentary image corresponding to said specific document to be printed out ~~from~~ from the output means.

38. (Currently Amended) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary

image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

an image reading means as said document image input means,

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, to perform the storing of the documentary image and the copying of plural sets simultaneously, and

said document management means for submitting the documentary image of a first ~~part~~ set of copy directly to the pattern synthesizing means, while submitting the documentary image of a second ~~part~~ set of copy and after which is taken out from said storing means, to the output means.

39. (Currently Amended) A document processing system as defined in ~~any one of~~ claims 30, 32, or 37,

wherein said document ID encoding means outputs document ID mark and position information including a form size and layout position to the pattern synthesizing means, and

wherein said pattern synthesizing means determines a position of the document ID mark based on said position information.

40. (Currently Amended) A document processing system as defined in claim 39, wherein the size of ~~said cover original~~ specific document and the direction of contents of document ~~management~~ led by said document management means are input from a original size detecting means for detecting size and direction of original.

41. (Original) A document processing system as defined in claim 39, wherein the size of original registered by said document management means is input from a original size detecting means for detecting size of original, while the direction of contents of document is input from an input/output device.

42. (Currently Amended) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting specified documentary image from output means based on said document ID as required, comprising:

a document ID encoding means for generating document ID mark corresponding to said document ID when storing documentary image data corresponding to said specific document in said storing means,

a pattern synthesizing means for synthesizing document ID mark produced by said document ID encoding means and documentary image data corresponding to said specific document,

said output means for outputting documentary image with document ID mark generated by said pattern synthesizing means, while storing it in said storing means, and

a dialogue type operating means ~~capable of judging~~ able to select whether or not to add a documentary ID mark to the documentary image output from said output means.

43. (Original) A document processing system capable of storing documentary image data corresponding to some specific document input from at least one kind of documentary image input means by attaching document ID identifying the documentary image data in at least one kind of storing means controlling attribute information containing that document ID with document management means, and outputting documentary image specified based on said document ID, by adding document ID mark corresponding to said document ID, from output means as required, comprising:

a documentary image reading means for reading ID mark printed on said documentary image with document ID mark,

a document ID decoding means for decoding the read document ID mark into document ID, and

said document management means for specifying, for the purpose of some specific processing, documentary image corresponding to either the document ID obtained from document ID decoding means or the document ID input in character string directly from an

input/output device, based on the selection a user makes with the input/output device between document ID mark input or character string input.

44. (Original) A document processing system as defined in claim 43, wherein said specific processing is take-out of document by the output means.

45. (Original) A document processing system as defined in claim 44, comprising a document ID mark encoding means for generating document ID mark based on said document ID to the documentary image taken out as a result of said take-out of document, and a pattern synthesizing means for combining said generated document ID mark and the target documentary image and transferring it to the output means.

46. (Original) A document processing system as defined in claim 45, wherein said document ID encoding means outputs document ID mark and position information including a form size layout position to the pattern synthesizing means, and

wherein said pattern synthesizing means determines a position of the document ID mark based on said position information.

47. (Original) A document processing system as defined in claim 43, wherein said specific processing is copying or moving of target documentary image data from specific type of storing means to other specific type of storing means.

48. (Original) A document processing system as defined in claim 43, comprising said document management means for transmitting to at least said input/output device, upon receipt of document ID corresponding to some specific document, a plural number of attribute information mutually linked to said specific document, in the case where said document management means controls the link information indicating that specific documentary image and other documentary image are related to each other in contents, and

said input/output device for displaying the attribute information obtained from said document management means to the user for selection so that the user may select the target documentary image.

49. (Original) A document processing system as defined in claim 43, wherein said specific processing is combination for mutually combining a plural number of documentary image data by the document management means.

50. (Original) A document processing system as defined in claim 49, wherein said document management means generates in-document link information for mutually relating a plural number of documentary image data and registering it on attribute management table.

51. (Original) A document processing system as defined in claim 43, wherein said specific processing is deletion for deleting target documentary image data by the document management means.

52. (Original) A document processing system as defined in claim 51, wherein reuse of deleted document ID is prohibited.

53. (Original) A document processing system as defined in claim 43, comprising a facsimile receiving means as said documentary image input means, and

a facsimile transmitting means as output means, said document ID decoding means decoding the document ID mark attached to the documentary image received from the facsimile, and the document management means outputting image data corresponding to specific document, based on the document ID obtained as a result of said decoding, to a facsimile in a distant place through said facsimile transmitting means.

54. (Original) A document processing system as defined in claim 53, comprising said document ID encoding means for generating a second document ID mark in a readable size by reading a first document ID attached to the documentary image received from the facsimile according to the user's instruction from the output/input device, and a pattern synthesizing means for combining the generated second document ID mark with the target documentary image and transferring them to the output means.

55. (Original) A document processing system as defined in claim 44, comprising said document ID encoding means for generating document ID mark corresponding to the document ID including password input according to the user's instruction from the input/output device.

56. (Original) A document processing system as defined in claim 54, comprising an input/output device capable of setting the number of output copies for all pages of documentary image with document ID mark corresponding to specific documentary image and/or documentary image.